
yaset

Christopher Trudeau

Jul 26, 2019

CONTENTS

1	Installation	3
2	Usage	5
3	Supports	7
4	Docs & Source	9
5	Contents	11
5.1	Django Management Commands	11
6	Indices and tables	13
	Index	15

Yet Another Settings tool for django contains helper functions for managing localized settings files for different deployments and developers.

INSTALLATION

```
$ pip install django-yaset
```


USAGE

A common pattern in django to use different settings for different environments is to have a “local_settings” directory. This utility makes this easier.

The expected directory setup is as follows:

```
project/
  settings.py
  local_settings/
    __init__.py
    import_redirect
  development.py
  production.py
  secrets/
    __init__.py
    development.py
    production.py
```

The `import_redirect` file should contain the local module name of the settings to import in this environment. In the above example, it would be either “development” or “production”. The “development” and “production” files would contain the same types of declarations found in `settings.py`.

Inside of your `settings.py` file, include this at the bottom:

```
from yaset import import_settings

import_settings(globals())
```

This passes the settings packaging into the `import_settings` call which loads `import_redirect`, uses its contents to then load the `local_settings` and `local_settings.secrets` files specified.

It is not generally recommended to put either the `import_redirect` file or the `secrets` directory in your repository.

SUPPORTS

django-yaset has been tested with:

- Django 2.2.3 using Python 3.6, 3.7

DOCS & SOURCE

Docs: <http://django-yaset.readthedocs.io/en/latest/>

Source: <https://github.com/cltrudeau/django-yaset>

Version: 0.2.0

CONTENTS

5.1 Django Management Commands

`yaset.management.commands.create_local.Command`

Creates the `local_settings` directory structure used by `yaset`. Will not over-write any existing files. Creates an empty `import_redirect` file if it does not exist. Optionally takes a list of profiles to create.

This command assumes the project root (i.e. where the `settings.py` is found) is `../project/project` where the project base is defined in `settings.BASE_DIR`.

INDICES AND TABLES

- genindex
- modindex
- search

C

Command (in *module*
yaset.management.commands.create_local), 11